

A計画 壹番館

No. 31

	出隅	柱型打放補修	梁型打放補修	壁打放補修	柱型打放補修	梁型打放補修	壁打放補修	手摺ポーター	手摺ポーター	揚裏打放補修	サッシダキ	サッシ枠詰	掃き出し	面台	排水溝
		タイル下	タイル下	タイル下	吹付下	吹付下	吹付下	上端吹付下 糸 = 260	下端吹付下 糸 = 225	吹付下	タイル下	付底タイル下 糸 = 245	[付底天端 補修D = 245]	タイル下	糸 = 260
	[誘発目地]	[化粧付柱 タイル下]		[壁厚付装 飾仕上塗り]					[鼻先吹付 下]	[揚裏厚付 装飾仕上塗り]	[吹付下]			[吹付下]	[枠刷毛引]
AW-22 (3)	W 1.175	H 1.1		3.9	3F(1)4F(1)5F(1)						10.1	13.7		3.5	
AW-12 (2)	1.775	1.70		6.0	3F(2)						10.4	13.9		3.6	
AW-21 (3)	1.375	1.10		1.5	3F(1)4F(1)5F(1)		3.0				3.6 [7.2]	14.9		1.4 [2.8]	
AW-6 (4)	1.775	1.88			4F(2)5F(2)		13.3				[22.1]	29.2		[7.1]	
AW-13 (4)	1.575	1.70		10.7	6F(1)7F(1)9F(1)10F(1)						19.9	26.2		6.3	
AW-16 (2)	1.575	1.60		5.0	6F(2)						9.6	12.7		3.2	
AW-17 (2)	1.375	1.60		4.4	7F(2)						9.2	11.9		2.8	
AW-20 (1)	1.575	1.10		1.7	7F(1)						3.8	5.4		1.6	
AW-7 (5)	1.575	1.88			8F(1)11F(1)12F(1) 13F(1)14F(1)		14.8				[26.7]	34.6		[7.9]	
AW-14 (5)	1.375	1.70		11.7	8F(1)9F(2)10F(2)						23.9	30.8		6.9	
AW-15 (1)	1.275	1.70		2.2	8F(1)						4.7	6.0		1.3	
AW-10 (8)	1.375	1.88			11F(2)12F(2)13F(2)14F(2)		20.7				[41.1]	52.1		[11.0]	
メインエントランスアプローチ廻り															
壁, 揚裏コンクリート打放補修の上、厚付装飾仕上塗り (テール仕上げ)															
1F壁	3.16*(3.64+1.1+2.2+1.05+1.8+0.6+3.9+0.44)*2			[93.1]											
	4.45*(0.64*2+0.34*2)*6			[52.3]											
2F壁	3.61*(14.73+1.6)*2-1.29*3.2+0.4*5.4+0.3*3.8			[117.1]											
2F揚裏	0.44*3.7+0.2*0.16*6									[1.8]					
<hr/>															
西 面 計	228.0	54.8	61.8	339.3	55.5	79.8	243.6	113.0	193.6	120.6	95.2	251.4	0.0	30.6	108.8
	[80.1]	[11.1]		[262.5]						[1.8]	[97.1]	[12.6]	[9.6]	[28.8]	
<hr/>															
B) 外 部 計	6973.3	1646.3	1229.5	4977.2	859.7	1125.1	2413.3	1514.4	1666.9	3094.5	2475.3	4182.2	736.1	305.8	1785.2
	[1447.8]	[935.9]		[343.8]					[152.7]	[12.6]	[1327.1]	[12.6]	[9.6]	[74.1]	[655.8]
	住戸MB 計) 114ヶ所														
	外部小PS 計) 6ヶ所														